



## ARMOUR SAFETY PRODUCTS

Safety Equipment Wholesale & Design



### MaxiCut 3 Leather Palm Open Back

Code: 34450LP

#### Features

- Unit: Pair
- Size: 8/M, 9/L, 10/XL, 11/2XL, 12/3XL
- Coating: Foam Nitrile
- Colour: Green/Grey
- Liner Fabric: Dynemma
- EN 388:2016: 4342C

#### Product Details

The MaxiCut® range from ATG is designed and developed as a breathable cut resistant glove, MaxiCut® combines cut protection with comfort, flexibility and dexterity for dry environments.

360° breathability - patented micro-foam nitrile coating offers 360° breathability, making it the most breathable glove on the market today.

#### Features and Benefits

- Innovative fibres - we source our base ingredients to develop our own unique high performance yarns and fibres that offer cut protection whilst maintaining high levels of comfort.
- Reinforcement - between the thumb and forefinger, improves cut resistance and extends glove life in an inherently weak area.
- Form, fit and feel - mimics the “hand at rest”, reducing hand fatigue and increasing comfort.
- Latest knitting technology - utilized to produce smooth and rounded fingertips, improving fingertip sensitivity.
- Consistent liner penetration - from the nitrile, leaving only the soft liner resting against the skin.
- Optimized grip delivered through our micro-cup finish allows for a controlled grip. Our GripTech® “micro-cup” finish enhances grip properties making parts are handled more securely. In addition, it reduces hand fatigue associated with a lack of a proper grip.

#### Applications:

- Handling ceramics, corrugated sheets, non-deburred parts, glass panels, plastics injection moulds, sharp edged metal sheets, small sharp components
- Logistics and warehousing
- Maintenance
- Primary, secondary and final assembly

---

<https://armoursafety.co.nz/products/hand-arm/heat/maxicut-3-leather-palm-open-back/>

19/05/24

Unit 8, 85 Onehunga Mall Road; Onehunga, Auckland 1642

PO Box 13005, Onehunga, Auckland 1061

<https://armoursafety.co.nz> 0800 148 383